

Analysis and prediction of wavelet & filter-bank frames performance for machine learning (Internship, Spring/Summer 2018, IFPEN)

1 Internship description

1.1 Main topics

Sparse-domain data (signal/image) processing for classification and learning: basis/frame influence and selection in designing and training *scattering networks* with experimental data (geosciences, chemistry)

1.2 Keywords

Energy — Experimental data — Clustering — Machine learning — Deep networks

1.3 Research context

IFP Energies nouvelles (IFPEN) is a major research and training player in the fields of energy, transport, and environment. From research to industry, technological innovation is central to all its activities, structured around three strategic priorities: sustainable mobility, new energies, and responsible oil and gas. As part of the public-interest mission with which it has been tasked by the public authorities, IFPEN focuses on: (a) providing solutions to take up the challenges facing society in terms of energy and the climate, promoting the transition towards sustainable mobility and the emergence of a more diversified energy mix; (b) creating wealth and jobs by supporting French and European economic activity, and the competitiveness of related industrial sectors.

1.4 General presentation

We wish to study large datasets of experimental data (e.g. physico-chemical spectral signals, microscopy or geophysical subsurface images) toward clustering, classification and learning. When data satisfy regularity properties, they often admit sparse or compressible representations in a judicious transformed domain: a few transformed coefficients provide accurate data approximation. Such representations, like multiscale or wavelet transforms, are beneficial to subsequent processing, and they form the core of novel data processing methodologies, such as *Scattering networks/transforms (SN)* [Mal12, BM13, Mal16] or *Functional Data Analysis (FDA)* [RS05, RHG09].

Due to the variety of such transforms [JDCP11, AAG14], without prior knowledge, it is not evident to find the most suitable representation for a given set of data. The aim of this subject is to investigate potential relations between transform properties and data compressibility on the one hand, and classification/clustering performance on the other hand, especially with respect to the robustness to shifts/translations or noise in data features, with matters in experimental applications.

1.5 Objective of the internship

Rooting on a recent work [BCD18], the first objective is to develop a framework to allow the use of different sparsifying transformations (bases or frames of wavelets and multiscale transformations, Fig. 1 and 2) at the input of reference SN [Mal16] algorithms. This will permit to evaluate the latter on a variety of experimental datasets, with the aim of choosing the most appropriate, both in terms of performance and usability, since the redundancy in transformations may hinder their application to large datasets. A particular interest could be laid on complex-like transformations, that may improve either the sparsification or "invariance properties" [BM13, BG17] in the transformed data. Their importance has been underlined recently for deep convolutional networks [TBC⁺16, TBS⁺17].




Figure 1: Left: exemplars for each class. Center/right: multi-level, angular sector representation of a two-level scattering transform.




Figure 2: Compressibility of ordered scattering transform feature vectors from Fig. 1 in log-log-scale.

Then, starting from real data, the trainee will develop realistic models reproducing the expected behaviors in the data, for instance related to shifts or noise.

Finally, the relative clustering/classification performances will be assessed with respect to different transformation choices [DBMdH17], and their impact on both realistic models and real data. A particular interest could be laid on either transform properties (redundancy, frame bounds, asymptotic properties) or the resulting data multiscale statistics [Wal17, DBMdH17, CL17].

2 General information

2.1 Duration

5 months. Potential for a PhD thesis starting Sep./Oct. 2018: *Data characterization and classification with invariant multiscale features*. PhD advisor: Jean-Christophe Pesquet, Digital Vision Center, CentraleSupélec, INRIA team GALEN.

2.2 Expected ability of the student

Second/third year engineering school and/or master of science with strong skills and curiosity in signal/image processing, statistics, machine learning, applied mathematics. Applicants should provide a resume and a motivation letter emphasizing prior knowledge related to the subject (esp. learning and sparsifying transforms).

2.3 Contact

- Team: Laurent Duval, Jean Charléty, Aurélie Pirayre (first.last@ifpen.fr, without accents)
- City/country: Reuil-Malmaison (Paris suburbs), France

2.4 Information updates

<http://www.laurent-duval.eu/lcd-2018-intern-transform-classification.html>

References

- [AAG14] S. T. Ali, J.-P. Antoine, and J.-P. Gazeau. *Multidimensional Wavelets and Generalizations*, pages 411–456. Theoretical and Mathematical Physics. Springer-Verlag, Aug. 2014.
- [BCD18] Y. Bhalgat, J. Charléty, and L. Duval. CatsEyes: categorizing seismic structures with tessellated scattering wavelet networks. In *PREPRINT*, 2018.
- [BG17] R. Balestrierio and H. Glotin. Linear time complexity deep Fourier scattering network and extension to nonlinear invariants. In *PREPRINT*, 2017. Under review.
- [BM13] J. Bruna and S. Mallat. Invariant scattering convolution networks. *IEEE Trans. Pattern Anal. Mach. Intell.*, 35(8):1872–1886, Aug. 2013.
- [CL17] W. Czaja and W. Li. Analysis of time-frequency scattering transforms. *Appl. Comput. Harmon. Analysis*, 2017.
- [DBMdh17] I. Dokmanić, J. Bruna, S. Mallat, and M. de Hoop. Invariant multiscale statistics for inverse problems. In *Proc. Signal Processing with Adaptive Sparse Structured Representations (SPARS) workshop*, Lisbon, Portugal, Jun. 5-8, 2017.
- [JDCP11] L. Jacques, L. Duval, C. Chau, and G. Peyré. A panorama on multiscale geometric representations, intertwining spatial, directional and frequency selectivity. *Signal Process.*, 91(12):2699–2730, Dec. 2011.
- [Mal12] S. Mallat. Group invariant scattering. *Comm. Pure Appl. Math.*, 65(10):1331–1398, Oct. 2012.
- [Mal16] S. Mallat. Understanding deep convolutional networks. *Phil. Trans. R. Soc. A*, 374(2065):20150203, mar 2016.
- [RHG09] J. O. Ramsay, G. Hooker, and S. Graves. *Functional Data Analysis with R and MATLAB*. 2009.
- [RS05] J. O. Ramsay and B. W. Silverman. *Functional data analysis*. Springer Series in Statistics. Springer, 2nd edition, 2005.
- [TBC⁺16] M. Tygert, J. Bruna, S. Chintala, Y. LeCun, S. Piantino, and .r Szlam. A mathematical motivation for complex-valued convolutional networks. *Neural Comput.*, 28(5):815–825, May 2016.
- [TBS⁺17] C. Trabelsi, O. Bilaniuk, D. Serdyuk, S. Subramanian, J. F. Santos, S. Mehri, N. Rostamzadeh, Y. Bengio, and C. J. Pal. Deep complex networks. *PREPRINT*, 2017.
- [Wal17] I. Waldspurger. Exponential decay of scattering coefficients. In *Proc. Int. Conf. Sampling Theory Appl.*, Tallin, Estonia, Jul. 3-7, 2017.